VB-CAM-201-2 All-in-one conference camera Responsive framing and true sound for real meetings - ViewSonic Europe



Key Features

- Zoom Rooms Certified Camera.
- Automatically focus framing on narrator during the conference through voice tracking.
- Automatically adjust the frame based on attendees' seating with up to 121° wide-angle FOV.
- 4K UHD resolution and 5x digital zooming.
- Multiple mounting options to fit in all meeting room setups.

*Remarks: AEC: Acoustic Echo Cancellation ANS: Automatic Noise Suppression AGC: Automatic Gain Control Product **Description**



The ViewSonic All-in-one conference camera is designed to enhance the video meeting experience for all the participants. Its 4K UHD resolution and 121° super wide-angle lens efficiently capture the whole room regardless of seating arrangements. The voice tracking feature of its built-in microphone paired with a 5x digital zoom ensures that the speaker will always be inframe. It comes complete with an stereo speaker and a 4 array microphone with noise and echo cancellation technologies to ensure participants can hear and be heard loud and clear.

Visit Us www.viewsonic.com



OPERATING SYSTEM

Windows 7 (only 1080p and below), Windows 8.1, Windows 10 or higher macOS® 10.10 or higher Google ChromebookTM Version 29.0.1547.70 or higher Linux (requires support for UVC)

SYSTEM REQUIREMENT	
CPU Recommended:	2.4 GHz Intel® Core 2TM Duo processor or above
RAM Recommended:	2 GB of memory or above
CAMERA	
Sensor:	1/2.5 inch, CMOS, 8.51M pixel
Field of View (FOV):	121°(DFOV), 110° (HFOV), 5x Digital Zoom, Pan/Tilt ±15°
White Balance:	Automatic, Indoor, Outdoor, One Push, Manual
Digital Noise Reduction:	2D, 3D digital noise reduction
Backlight Compensation:	Support
AUDIO	
Microphone:	Beamforming microphone, pick up distance up to 6 meters
SUPPORTED VIDEO FORMAT	Г
Color System Compression:	H.264 / MJPEG /YUY2
Max. Resolution Video:	4K@30fps, 1080P@30fps, 720P@30fps, etc
CONNECTIVITY	
USB:	3.0(Type C x1), 2.0(Type A x1)
HDMI output:	x1
DIMENSIONS	
Physical (W xH xD):	600 x 115 x 135 mm (bracket included)
WEIGHT	
Physical (Net):	2.2 kg (4.86 lbs)
REGULATIONS	
Compliance Certification:	CE, FCC, IC ID, FCC ID, LVD
PACKAGE CONTENTS	
 VB-CAM-201-2 Documentation Remote Control (Requires AAA batteries x 2) Power Adapter 	

- 4. Power Adapter
- 5. Bracket
- 6. USB Type-C Cable7. Bracket Screw x 68. Wall Anchor x 6



Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

