

Key Features

- 1,700 LED Lumens offering bright images anywhere you go
- Portability with compact size and power on by power bank
- Easy setup: Instant auto focus and side projection capability
- Integrated Harman
 Kardon speakers for theater-level sound
- Industry-leading LED technology for 30,000hour light source life



Product **Description**

The M2W is a HD ready portable smart LED projector boasting 1,700 LED Lumens, allowing you to enjoy big-screen fun wherever you go without sacrificing brightness. Setup is effortless with instant auto focus and side projection capabilities with H/V keystone and 4 corner correction. Its ultralight portable design and powering on by power bank ability provide you cinematic experiences on the go. Combining perfect images with lifelike colors covering 125% Rec.709 supported by ViewSonic's industry-leading LED technology and exceptional sound quality through Harman Kardon-customised speakers, the M2W delivers a true feast for the eyes and ears. Add even more fun with smart connectivity features such as Wi-Fi for wireless screen mirroring to get your phone up on the big screen, Bluetooth for alternative audio options, and USB-C for direct single-cable streaming from Nintendo® Switch or the latest iPhone 15.







- 1. Lens
- 2. IR Receiver
- 3. Auto Focus Camera
- 4. Auto Focus Sensor 5. Stepless Stand
- 6. HDMI
- 7. LED Indicator

- 8. Power Button
- 9. Audio Out 10. USB-C (5V/0.5A)
- 11. Micro SD
- 12. DC In
- 13. USB Reader (5V/1.5A)

Visit Us

www.viewsonic.com



SPECIFICATION

OTHERS

JI ECH ICATION		OTTIERS	
Native Resolution:	1280x800	Power Supply Voltage:	Power adaptor: Input: 100~240V Output: 19VDC / 4.74A
Brightness:	1700 (LED Lumens)		
Contrast Ratio:	3000000:1	Power Consumption:	Normal: 71W Standby: <0.5W
Display Color:	1.07 Billion Colors	Operating Temperature:	0~40°C
Light Source Type:	LED	Carton:	Color
Light Source Life (hours) with Normal Mode:	30000	Net Weight:	1.35kg
Lens:	F=1.7, f=11.96mm	Gross Weight:	3.12kg
Projection Offset:	100%+/-5%	Dimensions (WxDxH) with	225x225x57mm
Throw Ratio:	1.2	Adjustment Foot:	
Optical Zoom:	Fixed	Packing Dimensions:	290x280x168mm
Digital Zoom:	0.8x-1.0x	OSD Language:	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Total 23
Image Size:	24"-150"		
Throw Distance:	0.50m-3.87m (100"@2.58m)		
Keystone:	H:+/-40° , V:+/-40°		
Audible Noise (Normal):	26dB		
Audible Noise (Eco):	26dB		languages
Local Storage:	Total 16GB (10GB available storage)	User Guide Language:	English, S-Chinese, T-Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages
Input Lag:	66ms		
Resolution Support:	VGA(640 x 480) to FullHD(1920 x 1080)		
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p		
Horizontal Frequency:	30K~97KHz	STANDARD ACCESSORY	
Vertical Scan Rate:	24~85Hz	Power Cord:	1
INPUT		USB-C Cable:	1 (1m)
HDMI:	1 (HDMI 1.4/ HDCP 1.4)	Remote Control:	1
USB Type C:	1 (5V/0.5A)	QSG:	Yes
Audio-in (Bluetooth):	1 (BT4.2)	Warranty Card:	Yes (JP Only)
USB Type A:	1	Carry Bag:	Yes
OOD Type 7t.	(USB2.0 Reader)	OPTIONAL ACCESSORY Wall/Ceiling Mount:	PJ-WMK-007
SD Card:	Micro SD (256GB, SDXC)	Wall/Celling Mount.	r 3-vvivir-007
Wifi Input:	1 (5Gn)		
OUTPUT			
Audio-out (3.5mm):	1		
Audio-out (Bluetooth):	1 (BT4.2)		
Speaker:	3W Cube x2 (Full range x2)		
USB Type A (Power):	1 (USB2.0 - 5V/1.5A, share with USB A Input)		
CONTROL			
USB Type A (Services):	1 (share with USB A Input)		



Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

